

December 15, 2020

Glenn Walker PO Box  
Brunswick County Water Systems  
PO Box 249  
Bolivia, NC 28422

RE: Project: 1,4-Dx-522 (weekly)  
Pace Project No.: 35596482

Dear Glenn PO Box:

Enclosed are the analytical results for sample(s) received by the laboratory on December 04, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Lisa Harvey  
lisa.harvey@pacelabs.com  
(386) 672-5668  
Project Manager

Enclosures

cc: Billy Benton, BRUNSWICK COUNTY PUBLIC UTILITIES



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

---

### **Pace Analytical Services Ormond Beach**

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

Arizona Certification# AZ0819

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maryland Certification: #346

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Virginia Environmental Certification #: 460165

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
35596482001	120320-SO1	Water	12/03/20 09:40	12/04/20 12:06
35596482002	120320-EO1	Water	12/03/20 09:40	12/04/20 12:06

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35596482001	120320-SO1	EPA 522	CTB	2	PASI-O
35596482002	120320-EO1	EPA 522	CTB	2	PASI-O

PASI-O = Pace Analytical Services - Ormond Beach

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 120320-SO1</b> <b>Lab ID: 35596482001</b> Collected: 12/03/20 09:40      Received: 12/04/20 12:06      Matrix: Water									
<b>522 MSS 1,4 Dioxane</b> Analytical Method: EPA 522      Preparation Method: EPA 522 Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	<b>0.31</b>	ug/L	0.20	0.12	1	12/15/20 08:06	12/15/20 11:20	123-91-1	
<b>Surrogates</b>									
1,4-Dioxane-d8 (S)	75	%	70-130		1	12/15/20 08:06	12/15/20 11:20		

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>Sample: 120320-EO1</b> <b>Lab ID: 35596482002</b> Collected: 12/03/20 09:40      Received: 12/04/20 12:06      Matrix: Water									
<b>522 MSS 1,4 Dioxane</b> Analytical Method: EPA 522      Preparation Method: EPA 522 Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	<b>0.31</b>	ug/L	0.20	0.12	1	12/15/20 08:06	12/15/20 11:36	123-91-1	
<b>Surrogates</b>									
1,4-Dioxane-d8 (S)	80	%	70-130		1	12/15/20 08:06	12/15/20 11:36		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

QC Batch: 689180	Analysis Method: EPA 522
QC Batch Method: EPA 522	Analysis Description: 522 MSS 1,4 Dioxane
	Laboratory: Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35596482001, 35596482002

METHOD BLANK: 3753789 Matrix: Water

Associated Lab Samples: 35596482001, 35596482002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.12 U	0.20	0.12	12/14/20 17:19	
1,4-Dioxane-d8 (S)	%	91	70-130		12/14/20 17:19	

LABORATORY CONTROL SAMPLE: 3753790

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	20	17.2	86	70-130	
1,4-Dioxane-d8 (S)	%			85	70-130	

LABORATORY CONTROL SAMPLE: 3753791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.2	0.21	105	50-150	
1,4-Dioxane-d8 (S)	%			78	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3753792 3753793

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		92510571001 Result	Spike Conc.	Spike Conc.	Result						
1,4-Dioxane (p-Dioxane)	ug/L	ND	28.8	28.9	24.8	25.3	85	87	70-130	2	20
1,4-Dioxane-d8 (S)	%						81	81	70-130		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: 1,4-Dx-522 (weekly)

Pace Project No.: 35596482

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

U Compound was analyzed for but not detected.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: 1,4-Dx-522 (weekly)  
Pace Project No.: 35596482

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
35596482001	120320-SO1	EPA 522	689180	EPA 522	689379
35596482002	120320-EO1	EPA 522	689180	EPA 522	689379

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.





Document Name:  
Sample Condition Upon Receipt Form  
Document No.:  
F-FL-C-007 rev. 13

Document Revised:  
May 30, 2018  
Issuing Authority:  
Pace Florida Quality Office

**WO# : 35596482** (SCUR)

**Project:** PM: LMH **Due Date:** 12/16/20  
**Project Manager:** CLIENT: BRUNCOWS  
**Client:**

**Date and Initials of person:**  
**Examining contents:** \_\_\_\_\_  
**Label:** \_\_\_\_\_  
**Deliver:** 12/1  
**pH:** \_\_\_\_\_

Thermometer Used: T-353 Date: 12-4-20 Time: 1211 Initials: JRZ

State of Origin: \_\_\_\_\_  For WV projects, all containers verified to  $\leq 6^\circ\text{C}$

Cooler #1 Temp. °C 2 (Visual) 4.3 (Correction Factor) -5 (Actual)  Samples on ice, cooling process has begun  
Cooler #2 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)  Samples on ice, cooling process has begun  
Cooler #3 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)  Samples on ice, cooling process has begun  
Cooler #4 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)  Samples on ice, cooling process has begun  
Cooler #5 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)  Samples on ice, cooling process has begun  
Cooler #6 Temp. °C \_\_\_\_\_ (Visual) \_\_\_\_\_ (Correction Factor) \_\_\_\_\_ (Actual)  Samples on ice, cooling process has begun

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace  Other \_\_\_\_\_

Shipping Method:  First Overnight  Priority Overnight  Standard Overnight  Ground  International Priority  
 Other \_\_\_\_\_

Billing:  Recipient  Sender  Third Party  Credit Card  Unknown

Tracking # 3997 9578 5126

Custody Seal on Cooler/Box Present:  Yes  No Seals intact:  Yes  No Ice: Wet Blue Dry None

Packing Material:  Bubble Wrap  Bubble Bags  None  Other \_\_\_\_\_

Samples shorted to lab (If Yes, complete) Shorted Date: \_\_\_\_\_ Shorted Time: \_\_\_\_\_ Qty: \_\_\_\_\_

**Comments:**

Chain of Custody Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<p>Preservation Information: Preservative: _____ Lot #/Trace #: _____ Date: _____ Time: _____ Initials: _____</p>
Chain of Custody Filled Out	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Relinquished Signature & Sampler Name COC	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples Arrived within Hold Time	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush TAT requested on COC	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient Volume	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct Containers Used	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Sample Labels match COC (sample IDs & date/time of collection)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All containers needing acid/base preservation have been checked.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
All Containers needing preservation are found to be in compliance with EPA recommendation:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC, O&G, Carbamates		
Headspace in VOA Vials? (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

**Client Notification/ Resolution:**  
Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

**Comments/ Resolution (use back for additional comments):**  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_