



December 10, 2025

Glenn Walker
Brunswick County Water Systems
PO Box 249
Bolivia, NC 28422

RE: Project: 1,4-Dx-522 (Weekly)
Pace Project No.: 35320184

Dear Glenn Walker:

Enclosed are the analytical results for sample(s) received by the laboratory on December 03, 2025. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Ormond Beach

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Todd Baumgartner
todd.baumgartner@pacelabs.com
(386)672-5668
Project Manager

Enclosures

cc: Billy Benton, Brunswick County Public Utilities



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35320184

Pace Analytical Services Ormond Beach

8 East Tower Circle, Ormond Beach, FL 32174

Alaska DEC- CS/UST/LUST

Alabama Certification #: 41320

California Certification# 3096

Colorado Certification: FL NELAC Reciprocity

Connecticut Certification #: PH-0216

Delaware Certification: FL NELAC Reciprocity

DoD-ANAB #:ADE-3199

Florida Certification #: E83079

Georgia Certification #: 955

Guam Certification: FL NELAC Reciprocity

Hawaii Certification: FL NELAC Reciprocity

Illinois Certification #: 200068

Indiana Certification: FL NELAC Reciprocity

Kansas Certification #: E-10383

Kentucky Certification #: 90050

Louisiana Certification #: FL NELAC Reciprocity

Louisiana Environmental Certificate #: 05007

Maine Certification #: FL01264

Maryland Certification: #346

Massachusetts Certification #: M-FL1264

Michigan Certification #: 9911

Mississippi Certification: FL NELAC Reciprocity

Missouri Certification #: 236

Montana Certification #: Cert 0074

Nebraska Certification: NE-OS-28-14

Nevada Certification: FL NELAC Reciprocity

New Hampshire Certification #: 2958

New Jersey Certification #: FL022

New York Certification #: 11608

North Carolina Environmental Certificate #: 667

North Carolina Certification #: 12710

North Dakota Certification #: R-216

Ohio DEP 87780

Oklahoma Certification #: D9947

Pennsylvania Certification #: 68-00547

Puerto Rico Certification #: FL01264

South Carolina Certification: #96042001

Tennessee Certification #: TN02974

Texas Certification: FL NELAC Reciprocity

US Virgin Islands Certification: FL NELAC Reciprocity

Utah FL NELAC Reciprocity

Utah

Virginia Environmental Certification #: 460165

Washington Certification #: C955

West Virginia Certification #: 9962C

Wisconsin Certification #: 399079670

Wyoming (EPA Region 8): FL NELAC Reciprocity

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: 1,4-Dx-522 (Weekly)
Pace Project No.: 35320184

Lab ID	Sample ID	Matrix	Date Collected	Date Received
35320184001	120225-S01	Water	12/02/25 08:05	12/03/25 11:00
35320184002	120225-E01	Drinking Water	12/02/25 08:05	12/03/25 11:00

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: 1,4-Dx-522 (Weekly)
Pace Project No.: 35320184

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
35320184001	120225-S01	EPA 522	TSW	2	PASI-O
35320184002	120225-E01	EPA 522	TSW	2	PASI-O

PASI-O = Pace Analytical Services - Ormond Beach

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35320184

Sample: 120225-S01									
Lab ID: 35320184001									
Collected: 12/02/25 08:05									
Received: 12/03/25 11:00									
Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
522 MSS 1,4 Dioxane									
Analytical Method: EPA 522 Preparation Method: EPA 522									
Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	0.19 I	ug/L	0.20	0.12	1	12/05/25 00:51	12/09/25 12:46	123-91-1	
Surrogates									
1,4-Dioxane-d8 (S)	85	%	70-130		1	12/05/25 00:51	12/09/25 12:46		

Sample: 120225-E01									
Lab ID: 35320184002									
Collected: 12/02/25 08:05									
Received: 12/03/25 11:00									
Matrix: Drinking Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
522 MSS 1,4 Dioxane									
Analytical Method: EPA 522 Preparation Method: EPA 522									
Pace Analytical Services - Ormond Beach									
1,4-Dioxane (p-Dioxane)	0.17 I	ug/L	0.20	0.12	1	12/05/25 00:51	12/09/25 13:20	123-91-1	
Surrogates									
1,4-Dioxane-d8 (S)	81	%	70-130		1	12/05/25 00:51	12/09/25 13:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35320184

QC Batch:	1149872	Analysis Method:	EPA 522
QC Batch Method:	EPA 522	Analysis Description:	522 MSS 1,4 Dioxane
		Laboratory:	Pace Analytical Services - Ormond Beach

Associated Lab Samples: 35320184001, 35320184002

METHOD BLANK: 6302285 Matrix: Water

Associated Lab Samples: 35320184001, 35320184002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.12 U	0.20	0.12	12/09/25 11:54	
1,4-Dioxane-d8 (S)	%	82	70-130		12/09/25 11:54	

LABORATORY CONTROL SAMPLE: 6302286

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	2	1.7	87	70-130	
1,4-Dioxane-d8 (S)	%			86	70-130	

LABORATORY CONTROL SAMPLE: 6302287

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.2	0.16 I	82	50-150	
1,4-Dioxane-d8 (S)	%			87	70-130	

MATRIX SPIKE SAMPLE: 6302288

Parameter	Units	35320184001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.19 I	2	2.0	90	70-130	
1,4-Dioxane-d8 (S)	%				93	70-130	

SAMPLE DUPLICATE: 6302289

Parameter	Units	35320184002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,4-Dioxane (p-Dioxane)	ug/L	0.17 I	0.16 I		20	
1,4-Dioxane-d8 (S)	%	81	80			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: 1,4-Dx-522 (Weekly)

Pace Project No.: 35320184

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.

U Compound was analyzed for but not detected.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: 1,4-Dx-522 (Weekly)
Pace Project No.: 35320184

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
35320184001	120225-S01	EPA 522	1149872	EPA 522	1150885
35320184002	120225-E01	EPA 522	1149872	EPA 522	1150885

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Pace
Date and Initials of person: _____
Examining contents: _____
Verifying pH: _____
Initials: AES

Sample Condition Upon Receipt Form (SCUR)
WO#: 35320184
PM: TAB Due Date: 12/15/25
CLIENT: BRUNCOWS

Project # _____
Project Manager: _____
Client: _____

Thermometer Used: T-440 Date: 12/13/25 Time: 1118

State of Origin: _____ For WV projects, all containers verified to 50 °C

Cooler #1 Temp. °C 2.4 (Visual) +0.1 (Correction Factor) 2.5 (Actual)
Cooler #2 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)
Cooler #3 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)
Cooler #4 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)
Cooler #5 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)
Cooler #6 Temp. °C _____ (Visual) _____ (Correction Factor) _____ (Actual)
Recheck for OOT °C _____ (Visual) _____ (Correction Factor) _____ (Actual)

Samples collected sameday, on ice cooling has begun
 Samples collected sameday, on ice cooling has begun
Time: _____ Initials: _____

Courier: Fed Ex UPS USPS Client Commercial Pace Other: _____

Shipping Method: Standard Overnight First Overnight Priority Overnight Ground International Priority Other: _____

Tracking # 4736 1121 6812

Custody Seal Present: Yes No Seal properly placed and intact: Yes No

Ice: Wet Blue Dry None Melted

Packing Material: Bubble Wrap Bubble Bags None Other: _____

Samples shorted to lab: Yes No (if yes, complete the following)

Shorted Date: _____

Shorted Time: _____

Bottle Quantity / Type: _____

Chain of Custody:	Present: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Filled Out: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Sampler Name: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
	Relinquished To Pace: <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Sampling Date(s): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A Sampling Time(s): <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples Arrived within Hold Time	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Comments:
Rush Turnaround Requested on COC	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Comments:
Sufficient Volume	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Comments:
Correct Containers Used	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Comments:
Containers Intact	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Comments:
Sample Labels Match COC (Sample ID, Date/Time of Collection)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Comments:
All containers needing acid / base preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Preservation Information Preservative: _____ Date: _____ Lot / Trace: _____ Time: _____ Amount added (mL): _____ Initials: _____
All containers needing preservation are found to be in compliance with EPA recommendation. <small>Exceptions: Vials, Microbiology, O&G, PFAS</small>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in Volatile Vials? (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Trip Blank Present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Comments / Resolutions (use back for additional comments): _____

Labeled by: [Signature]

Reviewed by: [Signature]