

# County of Brunswick

3954 Clearwell Dr NE  
Leland, NC 28451

## Northwest Plant

Leland, NC  
Samples Received: 2-7-19

## Analytical Report (0219-708)

### *Isotope Dilution* PFAS



**Enthalpy Analytical, LLC – Ultratrace**

Phone: (910) 212-5858 / [www.enthalpy.com](http://www.enthalpy.com)  
2714 Exchange Drive, Wilmington, NC 28405

I certify that to the best of my knowledge all analytical data presented in this report:

- Have been checked for completeness
- Are accurate, error-free, and legible
- Have been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s)

This analytical report was prepared in Portable Document Format (.PDF) and contains \_\_\_\_\_ pages.

....."Report Issued Date: \_\_\_\_\_"



**Summary of Results: PFAS**
**Enthalpy Ultratrace Batch #**
**10208**
**PFAS**

Analyte	Method Blank ng/L	020719-S01 ng/L	020719-E01 ng/L
<b>Acids</b>			
PFBA	<1.57 U	3.39	2.41
PFPeA	<0.898 U	6.01	6.19
PFHxA	<1.58 U	6.74	7.18
PFHpA	<0.695 U	4.48	4.25
PFOA	<0.795 U	5.91	5.85
PFNA	<0.509 U	0.482 J	0.477 J
PFDA	<1.25 U	1.22 J	1.11 J
PFUnA	<0.481 U	<0.348 U	<0.340 U
PFDoA	<0.475 U	<0.344 U	<0.336 U
PFTTrA	<0.745 U	<0.540 U	<0.527 U
PFTA	<0.830 U	<0.601 U	<0.587 U
<b>Sulfonates</b>			
L-PFBS	<0.830 U	2.35	2.24
PFPeS	<0.990 U	<0.717 U	<0.700 U
PFHxS	<0.827 U	5.27	6.56
PFHpS	<0.779 U	<0.564 U	<0.551 U
PFOS	<0.471 U	14.1	12.8
PFNS	<0.654 U	<0.474 U	<0.462 U
PFDS	<1.35 U	<0.978 U	<0.954 U
4:2 FTS	<0.646 U	<0.468 U	<0.457 U
6:2 FTS	<0.723 U	0.870 J	1.04 J
8:2 FTS	<0.569 U	<0.412 U	<0.402 U
<b>Other</b>			
PFOSA	<3.65 U	<2.64 U	<2.58 U
N-MeFOSAA	<0.544 U	<0.394 U	<0.385 U
N-EtFOSAA	<0.651 U	<0.472 U	<0.460 U
HFPO-DA (Gen-X)	<33.3 U	<24.1 U	<23.5 U
Lab Sample ID	MB_10208	0219-708_10208_001	0219-708_10208_002

# Enthalpy Analytical Narrative Summary

<b>Company</b>	County of Brunswick
<b>Analyst</b>	H. Allen
<b>Parameters</b>	PFAS

<b>Client #</b>	n/a
<b>Job #</b>	0219-708
<b># Samples</b>	2

<b>Custody</b>	<p>Enthalpy Analytical Wilmington received the samples (via client courier) by Laura Boivin on 2/7/2019. The samples were received at on ice at 6.2°C in good condition.</p> <p>Prior to, during, and after analysis, the samples were stored in the laboratory with access only by authorized personnel of Enthalpy Analytical, LLC.</p>
<b>Analysis</b>	<p>The samples were analyzed by isotope dilution method for PFAS via LC/MS/MS. The analysis was completed using the following instrumentation: Waters Acquity UPLC equipped with Xevo TQ MS (Kili).</p> <p>The sample is spiked with ES, mixed well and centrifuged. An aliquot of supernatant is added to a measured volume of water and extracted via SPE. The elute is condensed, reconstituted with IS and analyzed.</p>
<b>Calibration</b>	<p>The analytes and labeled standards in the initial calibration exhibited RSDs less than 50%. All analytes passed the R<sup>2</sup> coefficient correlation criteria.</p> <p>The ICV and continuing calibration met the ±30% criteria for native analytes and ±50% criteria for labeled analytes.</p>
<b>QC Notes</b>	<p>The LCS injection met the ±50% criteria for ES recoveries and JS Standard Area with the exception of M2-6:2 FTS and M8FOSA which fell outside the upper and lower ES recoveries limits, respectively.</p> <p>No analytes were detected in the method blank. Analytes M2-6:2 FTS and M8FOSA fell outside the upper and lower ES recoveries limits, respectively.</p> <p>The samples were extracted within the 14-day from collection holding time. Extracts were analyzed within the 28-days from extraction to analysis holding time required by the method.</p>
<b>Reporting Notes</b>	<p>Sample 020719-S01 (0219-708-001) ES Recoveries fell outside the upper limits for M2-4:2 FTS, M3HFPO-DA, M2-6:2 FTS, and M2PFTeDA. Sample 020719-E01 (0219-708-002) ES Recoveries fell outside the upper limits for M5PFPeA, M3PFBS, M2-4:2 FTS, M3HFPO-DA, and M2PFTeDA. Both samples exhibited ES Recoveries outside the lower limits for M8FOSA.</p>



## Enthalpy Analytical Narrative Summary (continued)

### Reporting Notes (cont.)

The results presented in this report are representative of the samples as provided to the laboratory.

These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

The samples, calibrations and standards for the data presented in this report were analyzed at 2714 Exchange Drive, Wilmington, NC 28405.



## General Reporting Notes – Data Qualifiers

The following are general reporting notes that are applicable to all Enthalpy Analytical, Inc.-Wilmington, NC data reports, unless specifically noted otherwise.

### **General Data Qualifiers / Data Attributes**

- B – The analyte was found in the method blank, at a concentration that was at least 10% of the concentration in the sample.
- C – Two or more congeners co-elute. In EDDs, C denotes the lowest IUPAC congener in a co-elution group and additional co-eluters for the group are shown with the number of the lowest IUPAC co-eluter.
- E – The reported concentration exceeds the calibration range (upper point of the calibration curve).
- EMPC – Represents an estimated maximum possible concentration. EMPCs arise in cases where the signal/noise ratio is not sufficient for peak identification (the determined ion-abundance ratio is outside the allowed theoretical range), or where there is a co-eluting interference.
- J – Indicates that an analyte has a concentration below the reporting limit (lowest point of the calibration curve).
- ND – Indicates a non-detect.
- NR – Indicates a value that is not reportable.
- PR – Due to interference, the associated congener is poorly resolved.
- DI – Indicates the presence of a quantitative interference.
- SI – Denotes “Single Ion Mode” and is utilized for PCBs where the secondary ion trace has a significantly elevated noise level due to background PFK. Responses for such peaks are calculated using an EMPC approach based solely on the primary ion area(s) and may be considered estimates.
- U – The analyte was not detected. The Estimated Detection Limit (EDL) may be reported for this analyte.
- V – The labeled standard recovery was found to be outside of the method control limits.

### **DRBC/TMDL Specific Data Qualifiers / Data Attributes**

- J – The reported result is an estimate. The value is less than the minimum calibration level but greater than the Estimated Detection Limit (EDL).
- U – The analyte was not detected in the sample at the Estimated Detection Limit (EDL).
- E – The reported concentration is an estimate. The value exceeds the upper calibration range (upper point of the calibration curve).




## General Reporting Notes – Data Qualifiers

- D – Dilution Data. Result was obtained from the analysis of a dilution.
- B – Analyte found in the sample and associated method blank.
- Cxx – Co-elutes with the indicated congener, data is reported under the lowest IUPAC congener. ‘xx’ denotes the IUPAC number with the lowest numerical designated congener.
- NR – Analyte is not reportable because of problems in sample preparation or analysis.
- V – Labeled standard recovery is not within method control limits.
- X – Results from re-injection/repeat/second-column analysis.
- EMPC – Estimated Maximum Possible Concentration. Indicates that a peak is identified but did not meet the method specified ion-abundance ratio.

### **Lab Identifiers**

- AR – Indicates use of the archived portion of the sample extract.
- CU – Indicates a sample that required additional clean-up prior to HRMS injection/processing.
- D – Indicates a dilution of the sample extract. The number that follows the “D” indicates the dilution factor.
- DE – Indicates a dilution performed with the addition of ES (Extraction Standard) solution.
- DUP – Designation for a duplicate sample.
- MS – Designation for a matrix spike.
- MSD – Designation for a matrix spike duplicate.
- RJ – Indicates a reinjection of the sample extract.
- S – Indicates a sample split. The number that follows the “S” indicates the split factor.

**Job 0219-708 report due Thursday Feb 21 2019**



To	Glenn Walker	From	Robin Appelle
Company	County of Brunswick	Customer PO	
Site	N.W. Plant	Sales Order	SO1034561
Customer Phone	910-612-5618	Date Due QA	Tuesday, February 19, 2019
Customer Email	glenn.walker@brunswickcountync.gov	Results Due	Thursday, February 21, 2019
Customer Project		Report Due	Thursday, February 21, 2019

Line	Method	Analytes	Quant	Dept	Objective	Status
1	WM-026 PFAS by Isotope Dilution (non-potable water) report:	Legacy 24 and Gen X	2	Wilmington		Sampled 02-07-19 00:00 (local time) Received 02-07-19 11:08 ReceivedTemp 6.2 StorageTemp 4 StorageLocation R1



**This Is The Last Page  
Of This Report.**