




■ *Oc. taeniorhynchus* Average




□ *Oc. taeniorhynchus* Average




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2020




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2019




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2018




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2017




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2016




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2015




Oc. taeniorhynchus Average
 Oc. taeniorhynchus 2014




■ *Oc. taeniorhynchus* Average
 ■ *Oc. taeniorhynchus* 2013




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2012




■ *Oc. taeniorhynchus* Average
 ■ *Oc. taeniorhynchus* 2011




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2010




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2009




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2008




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2007




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2006




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2005




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2004




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2003




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 2002




■ *Oc. taeniorhynchus* Average
 ■ *Oc. taeniorhynchus* 1995




□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 1994



□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 1993



□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 1992



□ *Oc. taeniorhynchus* Average ■ *Oc. taeniorhynchus* 1991

